

TOP SECRET

Copy 108

6 Pages

March 1965

PHOTOGRAPHIC INTERPRETATION REPORT

SOVIET MILITARY ORDER OF BATTLE

ODESSA MD




CIA



DIA

WARNING

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



NGA Review Complete

TOP SECRET

PREFACE

This report is one in a series on Soviet Ground Force and Logistic installations being prepared for a DIA/CIA Panel. The series is being coordinated, published and disseminated by NPIC. The photographic analysis is being performed by the NPIC Photographic Analysis Group, the CIA Photographic Intelligence Division (NPIC), and the Production Center 1P1a (DIA). The photographic analysis for this particular report was performed by the NPIC Photographic Analysis Group.

In the interest of uniformity, the titles and letter designators for the facilities observed at these installations are identical with those appearing in the project requirement. When a specific facility is not observed both its title and letter designator are omitted in the report.

Titles and letter designators for the various facilities are as follows: (A) railroad service, (B) road service, (C) landing strips, (D) administrative and troop housing areas, (E) storage areas, (F) ammunition storage areas, (G) POL storage areas, (H) other buildings and facilities, (J) equipment storage/maintenance areas, (K) athletic fields, (L) small arms firing ranges, (M) driver training areas, (N) tank/assault gun firing ranges, (P) flat trajectory firing ranges, (Q) artillery emplacements (batteries), (R) infantry or combined arms field training area or courses, (S) special training facilities, (T) unidentified facilities or tracking activity.

ODESSA ARMY BARRACKS DALNIK SOUTHEAST

(46-29N 030-39E)

ODESSA, ODESSKAYA OBLAST, USSR

ODESSA MD

AL No:




FIGURE 1. LOCATION OF ODESSA ARMY BARRACKS DALNIK SOUTHEAST.

NPIC J-8761 (3/65)

X1

25

25



FIGURE 2. ODESSA ARMY BARRACKS DALNIK SOUTHEAST, ODESSA, USSR,

PIC J-8762 (3/65)

25

25

25

SUMMARY

Odessa Army Barracks Dalnik Southeast is located in the western section of Odessa (Figure 1). An associated explosives storage area is immediately west of the barracks area.

This installation covers approximately 176 acres and contains 1 barracks/administration building, 2 barracks, 1 probable barracks under construction, 9 storage buildings, 17 support buildings, 11 explosives storage buildings, and a small-arms firing range (Figures 2 and 3).

The installation was covered by [] [] photography and [] mis- sions from [] The only significant change in facilities was the ad- dition of a probable barracks, first observed under construction on [] coverage. The level of construction has not changed since that time. A high level of activity was observed on all photographic coverage.

DESCRIPTION OF INSTALLATION

Railroad Service

A rail line passes immediately south of the installation.

Road Service

All-weather roads provide access to Odes- sa.

Administration and Troop Housing Area

Area D contains 1 multistory barracks/ad- ministration building, 2 multistory barracks, 1 probable barracks under construction, 9 stor- age buildings, and 10 support buildings. The probable barracks, first observed on [] coverage, was at the same stage of construction on [] coverage.

Ammunition Storage Area

Area F contains 11 explosives storage build- ings and 7 guard towers.

POL Storage Areas

POL storage facilities in the vicinity include Odessa Petroleum Storage Shcelakova at 46-31N 030-43E [] with 55 medium and 2 small storage tanks; Odessa Petroleum Storage and Pier at 46-30N 030-43E [] with 12 small storage tanks; and Odessa Petrole- um Storage Romanovka at 46-30N 030-42E (BE [] with 28 large, 4 medium, and 13 small storage tanks.

Small-Arms Firing Range

Area L is a 520-by 45-foot small-arms fir- ing range which appears active.

TOP SECRET




FIGURE 3. ODESSA ARMY BARRACKS DALNIK SOUTHEAST. Sketch compiled from

TOP SECRET

TOP SECRET

25X

X1

25X

REFERENCES

PHOTOGRAPHY

X1

MAPS OR CHARTS

US Air Target Mosaic, Series 50, Sheet 0250-8/14MA, 2d ed, Jul 62 (SECRET)

DOCUMENT

25X

REQUIREMENT

C-RR4-81,614 (partial answer)

NPIC PROJECT

11662/64

25X

TOP SECRET

25X

TOP SECRET

TOP SECRET